

# INDEX MAPS.

## T. 13N, R. 6E. 2<sup>nd</sup> Mer.

	221-224	221-224	221-224	222-223	222-223	222						
226	6	246	5	241	4	238	3	234	2	230	1	221
	245		246		241		237		234		230	
226	7	246	8	241	9	237	10	233	11	229	12	220
	246		245		240		237		233		229	
225	18	245	17	240	16	236	15	233	14	229	13	220
	244		244		240		236		232		228	
226	19	244	20	239	21	236	22	232	23	228	24	220
	243		243		239		235		232		228	
225	30	243	29	239	28	235	27	231	26	227	25	219
	242		242		238		235		231		227	
225	31	242	32	238	33	234	34	230	35	227	36	219
	218		218		218		217		217		217	

## T. 14N, R. 6E. 2<sup>nd</sup> Mer.

	254	254	254	253	253	253						
256	6	278	5	274	4	269	3	265	2	261	1	253
	280	277	278	269	265	260						
256	7	277	8	273	9	269	10	264	11	260	12	252
	279	277	272	268	264	260						
256	18	276	17	272	16	268	15	264	14	259	13	252
	279	276	272	267	263	259						
255	19	275	20	271	21	267	22	263	23	258	24	252
	279	275	271	267	262	258						
255	30	275	29	271	28	266	27	262	26	258	25	251
	278	274	270	266	261	257						
255	31	274	32	270	33	265	34	261	35	257	36	251
	250	250	250	249	249	249						

The figures on the lines refer to the page.

## Township Lines.

South Boundary. Var. 6° 45' E

West on the S. Boundary of Sec. 36

0.85 a Beech 27 in. dia.

40.00 Set of sec. post from which

a Buckeye 9 in. dia. bears N 50° E 18 lbs. dist. 18

a Blue Ash 4 " " S 39° W 27 " "

61.10 a Beech 21 " "

80.00 Set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears N 44° W 8 lbs. dist. 18

a Do 7 " " N 62° E 9 " "

Land gently rolling, timbered Beech, Ash, Elm,  
Walnut & Upr. Spice &c. Good for farming

West on the S. Boundary of Sec. 35

16.50 a Hickory 24 in. dia.

40.00 Set of sec. post from which

a Beech 18 in. dia. bears N 13° W 26 lbs. dist. 18

a Do 21 " " S 12½° W 9 " "

54.80 a Blue Ash 24 " "

80.00 Set post cor. of sec. 34 & 35 from which

a Water Beech 9 in. dia. bears N 24° E 16 lbs. dist. 18

a Beech 7 " " N 75° W 45 " "

Level good farming land, timbered Beech, Ash, Hack-  
berry, Walnut & Upr. Spice, Rich soil

West on the S. Boundary of Sec. 34

15.90 a Beech 15 in. dia.

40.00 Set of sec. post from which

a Hackberry 9 in. dia. bears N 10° E 18 lbs. dist. 18

a Sugar 12 " " S 31° W 14 " "

66.00 a Bur Oak 30 " "

80.00 Set post cor. of sec. 33 & 34 from which

a Maple 10 in. dia. bears S 11° E 3 lbs. dist. 18

T. 13 N., R. 6 E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

a Sycamore 6 in. dia. bears N 3 E 35 lbs. dist.  
 Level land, rich soil, timber Beech, Hackberry,  
 Walnut & Upr. Spice, Pawpaw &c.

## West on the S. Boundary of Sec. 33

4.50 a Creek 75 lbs. wide course SE

20.95 a Beech 18 in. dia.

40.00 let g. sec. part from which

a Water Beech 6 in. dia. bears S 55 E 11 lbs. dist. &c.

a Sugar 9 " " " N 66 W 21 " "

52.75 a Branch 6 lbs. wide course SE

60.00 a Beech 15 in. dia.

80.00 let part con. of sec. 32 & 33 from which

a Beech 9 in. dia. bears S 39 W 5 lbs. dist. &c.

a Do 12 " " " N 76 E 9 " "

Level land, soil good, timber Beech, Ash, Hickory  
 & Upr. Spice

## West on the S. Boundary of Sec. 32

8.80 a Poplar 9 in. dia.

40.00 let g. sec. part from which

a Sugar 9 in. dia. bears S 2 E 20 lbs. dist. &c.

a Do 14 " " " N 43 E 29 " "

45.56 a W. Oak 15 " "

47.60 a Branch 7 lbs. wide course SE

80.00 let part con. of sec. 31 & 32 from which

a Ash 9 in. dia. bears S 10 W 25 lbs. dist. &c.

a Walnut 12 " " " N 75 E 31 " "

Level land, soil good, timber Beech, Walnut, Sugar,  
 Ash & Upr. Spice

## West on the S. Boundary of Sec. 31

4.80 a Sugar 12 in. dia.

40.00 let g. sec. part from which

## T. 13 N., R. 6 E. 2. Mer. Ind. a

a Poplar 4 in. dia bears S 9 E 9 lbs. dist. 3

a Do 5 " " " N 55 W 12 " "

80.00 to Township corner.

Level land, soil good, timber Beech, Ash, Elm &  
Wyp. Spice, Plum &. July 27. 1819

## East Boundary, Var. Foot. E.

Bearings at cor. of T. 12 & 13 N., R. 6 & 7 E. :

an Elm 12 in. dia bears N 4 W 18 lbs. dist. 3

a Do 12 " " " S 65 E 20 " "

North on the E. Boundary of Sec. 36

40.00 set of sec. post from which

a Hickory 9 in. dia bears N 24 E 11 lbs. dist. 3

a Water Beech 6 " " " S 57 E 15 " "

76.88 a Beech 21 " "

80.00 set post cor. of sec. 25 & 36 from which

a Beech 10 in. dia bears S 53 E 25 lbs. dist. 3

a Do 12 " " " N 52 W 36 " "

Level land, soil good, timber Beech, Ash, Sugar  
& Wyp. Spice

North on the E. Boundary of Sec. 25

37.05 an Elm 10 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia bears S 45 E 5 lbs. dist. 3

an Elm 16 " " " N 32 W 19 " "

69.95 a Branch 6 lbs. wide corner N W

75.69 a Beech 7 in. dia.

80.00 set post cor. of sec. 24 & 25 from which

a Beech 2 in. dia bears N 44 E 7 lbs. dist. 3

a Do 9 " " " S 49 W 16 " "

Level land, soil good, timber Beech, Ash, Elm  
& Wyp. Spice



## T. 13 N., R. 6 E., T. 1 Mer. Ind. a

North on the E. Boundary of Sec. 24

33.28 a Beech 28 in. dia.

40.00 let g. sec. part from which

a Beech 8 in. dia. bears S 81 E 11 lbs. dist. 8,

a Do 12 " " " N 82 W 15 " "

73.66 a Do 9 " "

80.00 let part cor. of sec. 13 & 24 from which

a Beech 20 in. dia. bears N 78 E 20 lbs. dist. 8

a Do 9 " " " N 34 W 16 " "

Level land, timber Beech, Ash, Sugar, Elm &  
Upr. Spice. Soil good

North on the E. Boundary of Sec. 13

37.00 a Beech 9 in. dia.

40.00 let g. sec. part from which

a Beech 24 in. dia. bears S 24 W 9 lbs. dist. 8,

an Ash 12 " " " S 34 E 17 " "

80.00 let part cor. of sec. 12 & 13 from which

a Boxelder 18 in. dia. bears N 88 E 7 lbs. dist. 18,

an Ash 12 " " " N 28 W 17 " "

Level land, soil good, timber Beech, Ash, Sugar,  
Elm & Upr. Spice

North on the E. Boundary of Sec. 12

36.70 an Ash 18 in. dia.

40.00 let g. sec. part from which

a Beech 9 in. dia. bears N 37 W 21 lbs. dist. 8,

a Do 21 " " " S 13 E 23 " "

75.60 a Sugar 18 " "

80.00 let part cor. of sec. 1 & 12 from which

a Beech 87 in. dia. bears N 26 E 10 lbs. dist. 8,

an Ash 15 " " " N 83 W 22 " "

Level land as last noted.

T. 13 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

North on the E. Boundary of Sec. 1

37.68 a Beech 9 in. dia.

40.00 set of sec. post from which

a Beech 7 in. dia. bears N 86 E 3 lns. dist. S

a Dr 12 " " N 70 W 26 " "

67.00 a Dr 15 " "

67.75 set post cor. of T. 13 &amp; 14 N., R. 6 &amp; 7 E. from which

a Beech 9 in. dia. bears S 25 E 7 lns. dist. S

a Dr 27 " " N 45 W 12 " "

Level land, timber Beech, Sugar, Ash, &amp; Upr.

Spice. Rich soil.

North Boundary.  
Random Line.

East on S. Boundary of Sec. 31, T 14 N., R 6 E

6.75 a Beech 30 in. dia.

40.00 set temp. of sec. post

69.67 a Beech 25 in. dia.

80.00 set a temp. post for cor. of sec. 31 &amp; 32

Ground flat, good farming land, timber Beech,  
Ash, Oak, Gum; Under Spice

East on S. Boundary of Sec. 32, T 14 N., R 6 E

35.00 an Oak 50 in. dia.

40.00 set of sec. post (temp.)

53.53 an Elm 33 in. dia.

80.00 set a temp. post for cor. of sec. 32 &amp; 33

Ground flat, timber as last noted

East on S. Boundary of Sec. 33, T 14 N., R 6 E

37.0 a Beech 25 in. dia.

29.00 a Creek 80 lns. wide course S

40.00 set temp. of sec. post

65.13 an Ash 21 in. dia.

## T. 13 N., R. 6 E. 2. Mer. Ind. a

80.00	Set a temp. post for cor. of sec. 33 & 34 Land level & rate, Beech, Sugar, Ash, Poplar, Spice
East on the S. Boundary of Sec. 34, T14 N, R6 E	
26.57	a Beech 20 in. dia.
40.00	Set temp. of sec. post
52.94	an Oak 48 in. dia.
80.00	Set a temp. post for cor. of sec. 34 & 35 Level sweet land, Beech, Sugar, Oak, Hickory, Elm, Spice
East on the S. Boundary of Sec. 35, T14 N, R6 E	
15.27	a Beech 18 in. dia.
40.00	Set temp. of sec. post Low wet land, thin soil
66.00	a Branch 10 lbs. wide course S
70.66	a W. Ash 27 in. dia.
73.00	a Branch 12 lbs. wide course S
80.00	Set a temp. post for cor. of sec. 35 & 36 Good farming land, B. Ash, Sugar, Oak, Hickory & Upr. Spice
East on the S. Boundary of Sec. 36, T14 N, R6 E	
8.75	an Elm 18 in. dia.
33.50	a Creek 75 lbs. wide course S W
40.00	Set temp. of sec. post
55.25	Intersect W. Blues line 21.00 Ebr. S. of corner
Corrected Line. Var. 6° 46', E.	
West on the S. Boundary of Sec. 36, T14 N, R6 E	
6.50	a Creek 75 lbs. wide course S W
17.10	a Beech 18 in. dia.
40.00	Set of sec. post from which a Beech 9 in. dia. bears S 63 E 6 lbs. dist 22

## T. 13 N., R. 6 E. 2. Mer. Ind. a

a Cherry 21 in. dia. leans N 60° W 9 lbs. dirt. 8  
 57.00 a Branch 4 lbs. wide corner S 4° W  
 66.54 a Maple 12 in. dia.  
 72.50 a Branch 4 lbs. wide corner S  
 80.00 lot front cor. of sec. 35 & 36 from which  
 a Beech 14 in. dia. leans N 42° E 14 lbs. dirt. 8  
 a Do 10 " " " S 58 1/2° W 34 " "  
 Level land, timber Beech, Ash, Sugar & Upr.  
 Spice. Rich soil

West on the S. Boundary of Sec. 35, T 14 N, R 6 E  
 15.50 a Beech 20 in. dia.

40.00 lot of sec. front from which  
 an Ash 30 in. dia. leans S 68° W 14 lbs. dirt. 8  
 a White Beech 6 " " " N 52° E 18 " "

52.45 a Beech 30 " "

80.00 lot front cor. of sec. 34 & 35 from which  
 a Beech 10 in. dia. leans N 63° E 28 lbs. dirt. 8  
 an Elm 15 " " " S 33° W 10 " "  
 Level land, soil good, timber Beech, Ash, Elm &  
 Upr. Spice, Gum, Pines &

West on the S. Boundary of Sec. 34, T 14 N, R 6 E  
 11.55 a Hackberry 2 1/4 in. dia.

40.00 lot of sec. front from which  
 a Beech 6 in. dia. leans N 47 1/2° W 6 lbs. dirt. 8  
 a Do 18 " " " S 53° E 8 " "

64.20 a Gum 30 " "

80.00 lot front cor. of sec. 33 & 34 from which  
 a Beech 10 in. dia. leans N 3° E 24 lbs. dirt. 8  
 a Do 15 " " " S 11° E 23 " "  
 Level land, soil good rather wet, timber Beech,  
 Hackberry, Cherry & Upr. Spice, Beech &

T. 13 N., R. 6 E., S. Mer. Ind.<sup>a</sup>

West on the S. Boundary of Sec. 33, T14 N., R6 E

15.00 a Beech 40 lbs. wide course S W

20.80 a Beech 18 in. dia.

40.00 set g. sec. post from which

a Beech 7 in. dia. bears N 33 W 25 lbs. dist. 18

a Do 27 " " " S 53 E 9 " "

64.80 a R. Oak 36 " "

80.00 set post cor. of sec. 32 &amp; 33 from which

a Beech 12 in. dia. bears N 58 E 18 lbs. dist. 18

a Do 15 " " " S 11 E 15 " "

Level land, soil good, timber Beech, Sugar, Oak,  
Ash & Upr. Spruce, Green Briers &c.

West on the S. Boundary of Sec. 32, T14 N., R6 E

16.20 an Ash 24 in. dia.

40.00 set g. sec. post from which

a Beech 13 in. dia. bears S 39 E 7 lbs. dist. 18

a W. Oak 40 " " " N 58 W 26 " "

64.40 a Hickory 18 " "

80.00 set post cor. of sec. 31 &amp; 32 from which

a Beech 9 in. dia. bears N 64 E 22 lbs. dist. 18

a Do 15 " " " S 66 W 20 " "

Level land, soil good, timber as before noted

West on the S. Boundary of Sec. 31, T14 N., R6 E

20.53 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

a Beech 14 in. dia. bears S 70 E 15 lbs. dist. 18

an Iron. 6 " " " N 79 W 21 " "

80.45 to Township corner.

Level land, rather wet, timber Beech, Elm, Hickory  
&c. Under Spruce - July 28. 1819

West Boundary Var. 6° 10' E



## T. 13 N., R. 6 E. S. Mer. Ind. a.

Bearings at cor. of T. 12 &amp; 13 N., R. 5 &amp; 6 E. :

a Hickory 12 in. dia. bears S 29° W 32 lbs. dist. 3

a Beech 10 " " " N 30 E 31 " "

North on the E. Boundary of Sec. 36, T 13 N., R 5 E

40.00 set of sec. post from which

an Elm 6 in. dia. bears N 29 E 20 lbs. dist. 3

no other tree, in a brushy field

71.05 a Beech 21 in. dia.

80.00 set post cor. of sec. 25 &amp; 36 from which

a Water Beech 7 in. dia. bears S 50 E 11 lbs. dist. 3

an Ash 20 " " " N 17 W 15 " "

Level brushy land, soil good, timber Beech, Poplar  
H. Upr. Hazel, Briers &c.

North on the E. Boundary of Sec. 25, T 13 N., R 5 E

32.65 a Beech 30 in. dia.

40.00 set of sec. post from which

a Hickory 29 in. dia. bears S 80 W 7 lbs. dist. 3

a Beech 12 " " " S 88 E - " "

60.50 a Do 20 " "

80.00 set post cor. of sec. 24 &amp; 25 from which

a Hickory 20 in. dia. bears N 81 E 13 lbs. dist. 3

an Ash 7 " " " S 70 W 15 " "

Level land, soil good, timber Beech, Ash,  
Sugar &c. Upr. Spruce, Briers &c.

North on the E. Boundary of Sec. 13, T 13 N., R 5 E

18.80 a Beech 20 in. dia.

40.00 set of sec. post from which

an Elm 9 in. dia. bears N 24 E 26 lbs. dist. 3

a Beech 10 " " " S 53 W 16 " "

50.50 a Beech 50 lbs. wide crown S W

62.92 a Swamp Ash 14 in. dia.

80.00 set post cor. of sec. 13 &amp; 12 from which

T. 13 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Swamp Ash 12 in. diam. bears N 83° W 25 lbs. dist. 8

a Do 10 " " " N 56° E 23 " "

Land 4<sup>th</sup> the same as last noted

North on the E. Boundary of Sec. 24, T. 13 N., R. 6 E.

3.80 a Branch 8 lbs. wide course S W

31.80 a Sugar 10 in. dia.

40.00 set of sec. post from which

a Beech 9 in. diam. bears N 67° E 8 lbs. dist. 8

a Do 12 " " " S 48° W 19 " "

66.40 a R. Oak 40 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 20 in. diam. bears N 52° E 23 lbs. dist. 8

a Do 12 " " " S 55° W 14 " "

Level land, soil good, timber as last noted.

North on the E. Boundary of Sec. 12, T. 13 N., R. 5 E.

27.30 a Beech 21 in. dia.

40.00 set of sec. post from which

a Beech 24 in. diam. bears N 28° W 7 lbs. dist. 8

a Hickory 6 " " " S 41° E 11 " "

61.75 a Beech 16 " "

80.00 set post cor. of sec. 1 & 12 from which

a Beech 9 in. diam. bears N 43° W 10 lbs. dist. 8

a Do 36 " " " N 45° E 30 " "

Level land, rather wet, timber Beech, Elm & Upr. Spruce

North on the E. Boundary of Sec. 1, T. 13 N., R. 5 E.

17.88 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 21 in. diam. bears N 30° W 23 lbs. dist. 8

a Do 18 " " " S 43° E 36 " "

42.75 a Do 18 " "

T. 13 N., R. 6 E., 2<sup>d</sup> Mer. Ind<sup>a</sup>.

67.55 set post cor. of T. 13 & 14 N., R. 5 & 6 E. from which  
 a Beech 9 in. dis. bears S 61 $\frac{1}{2}$  W 30 lbs. dist. 3  
 an Elm 6 " " N 36 E 17 " "

Land &c. the same as last noted.

August 2, 1819 - Surveyed by

John M. Donald  
 Dep. Surveyor.

Subdivision. Var. 7<sup>th</sup> 00' E.

North between Sec. 35 & 36, T. 13 N., R. 6 E

6.20 a Beech 14 in. dis.

40.00 set q. sec. post from which

a Beech 24 in. dis. bears S 81 W 20 lbs. dist. 3

a Do 12 " " N 85 E 1 " "

67.59 an Elm 24 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 12 in. dis. bears S 42 E 4 lbs. dist. 3

a Do 14 " " S 86 W 19 " "

Land &c. same, timber Beech, Ash, Sugar, Oak &c.

November 1, 1819

East on Random between Sec. 25 & 36

40.00 set temp. q. sec. post

80.40 Intersect E. Boundary 25 lbs. N. of post -

Land &c. same, timber Beech, Ash, Sugar &c. Spice Wye.

West connected between Sec. 25 & 36

40.20 set q. sec. post at aver. dist. from which

a Beech 14 in. dis. bears N 5 W 34 lbs. dist. 3

a Do 12 " " S 5 E 12 " "

80.40 to sec. cor.

North between Sec. 25 & 26

26.76 a Sugar 14 in. dis.

T. 13 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 set g. sec. post from which  
a Beech 7 in. diameter N 57 E 20 lbs. dist. 8,  
an Ash 12 " " " S 60 W 19 " "

68.53 a Maple 12 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
a Beech 8 in. diameter N 60 E 23 lbs. dist. 8,  
an Ash 14 " " " West 1 " "  
Land 2<sup>d</sup> rate

## East on Random between Sec. 24 &amp; 25

40.00 set temp. g. sec. post

80.50 Intersect E. Boundary 1st lb. N. of post—  
Land 2<sup>d</sup> rate, timbered Beech, Ash, Sugar Oak & Spruce

## West corrected between Sec. 24 &amp; 25

40.25 set g. sec. post at aver. dist. from which  
a Beech 10 in. diameter N 4 E 20 lbs. dist. 8,  
an Ash 24 " " " S 16 W 19 " "

80.50 to Sec. cor.

## North between Sec. 23 &amp; 24

28.19 a Beech 9 in. dia.

40.00 set g. sec. post from which  
a W. Oak 30 in. diameter S 23 E 12 lbs. dist. 8,  
a Beech 12 " " " N 40 W 12 " "

57.46 an Ash 12 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which  
a Hickory 20 in. diameter N 85 E 1 lb. dist. 8,  
an Ash 6 " " " S 60 W 20 " "  
Land 2<sup>d</sup> rate — November 2, 1819

## East on Random between Sec. 13 &amp; 24

40.00 set temp. g. sec. post

80.55 Intersect E. Boundary at post—

## T. 13 N., R. 6 E. 2. Mer. Ind. a

Land. P. rate, timber Beech, Oak, Ash, Sugar &  
Ulp. Spice & Green Briers

West corrected between Sec. 13 & 24

40.27 set g. sec. post at aver. dist. from which  
a Beech 12 in. diameter N 39° W 27 lbs. dist. 8  
a Do 18 " " " S 48° W 7 " "  
80.55 to sec. cor.

North between Sec. 13 & 14

25.00 a W. Oak 8 in. dia.  
40.00 set g. sec. post from which  
an Ash 8 in. diameter N 65° E 9 lbs. dist. 8  
a Do 3 " " " S 73° W 10 " "  
51.35 a B. Oak 36 " "  
80.00 set post cor. of Sec. 11, 12, 13 & 14 from which  
a Hornbeam 3 in. diameter N 46° E 9 lbs. dist. 8  
a Hickory 6 " " " S 46° W 2 " "  
Land. P. rate, timber same as last noted

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post  
80.50 Intersect E. Boundary 15 lbs. N. of post—  
Land. P. rate, timber as before noted, Ulp. Spice

West corrected between Sec. 12 & 13

40.25 set g. sec. post at aver. dist. from which  
an Ash 20 in. diameter S 74° E 2 lbs. dist. 8.  
a Do 12 " " " N 29° E 18 " "  
80.50 to sec. cor.

North between Sec. 11 & 12

10.29 an Ash 30 in. dia.  
40.00 set g. sec. post from which



T. B. N., R. O. E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

a Sugar 10 in. dis. bears N 33 E 4 lbs. dist. 8  
 a Beech 20 " " " N 73 W 15 " "  
 67.47 a Milk 30 " "  
 80.00 set port cor. of sec. 12, 11 & 12 from which  
 a Beech 12 in. dis. bears S 33 E 23 lbs. dist. 8  
 a Do 12 " " " N 45 W 23 " "  
 Land 2<sup>d</sup> rate

## East on Random between Sec. 1 &amp; 12

40.00 set temp. of sec. port  
 80.54 Intersect E. Boundary 18 lbs. N. of port -  
 Land 2<sup>d</sup> rate, timber Beech, Ash, Sugar, Oak &  
 Maple, Upr. Spice

## West Corrected between Sec. 1 &amp; 12

40.27 set of sec. port at aver. dist. from which  
 a Beech 14 in. dis. bears N 44 W 23 lbs. dist. 8  
 a Do 30 " " " N 74 E 20 " "  
 80.54 to sec. cor.

## North between Sec. 1 &amp; 2

34.74 a Hackberry 20 in. dis.  
 40.00 set of sec. port from which  
 a Beech 14 in. dis. bears N 15 W 35 lbs. dist. 8  
 an Ash 48 " " " S 48 E 7 " "  
 51.18 a Stream 25 lbs. wide runs N W  
 60.00 a Sugar 12 in. dis.  
 65.48 Intersect N. Boundary 98 lbs. W. of port -  
 set port at intersection cor. of sec. 1 & 2 from which  
 a Beech 14 in. dis. bears N 76 E 19 lbs. dist. 8  
 a Do 13 " " " S 26 W 6 " "  
 (Description of land &c. omitted)

## North between Sec. 34 &amp; 35

## T. B. N., R. O. E. I. Mer. Ind. a

24.36 a Beech 14 in. dia.

40.00 set g. sec. part from which  
a Buckeye 12 in. dia. bears N44E 18 lbs. dist. 8  
a Beech 8 " " " S71W 5 " "

57.35 a Do 8 " "

80.00 set part cor. of sec. 26, 27, 34 & 35 from which  
an Ash 20 in. dia. bears S88E 8 lbs. dist. 8  
a Beech 12 " " " S78W 11 " "  
Land 2 rate, timber as before noted

## East on Random between Sec. 26 &amp; 35

40.00 set temp. g. sec. part

80.44 Intersect N. S. line 20 lbs. S. of part -  
Land 2 rate, timber Beech, Ash, Sugar Oak,  
Poplars, Elm & Vlg. Spruce & Green Briars  
November 3, 1819

## West corrected between Sec. 26 &amp; 35

40.22 set g. sec. part at aver. dist. from which  
a W. Oak 8 in. dia. bears N64W 18 lbs. dist. 8  
a Beech 10 " " " S65E 31 " "

80.44 to sec. cor.

## North between Sec. 26 &amp; 27

24.94 a Beech 20 in. dia.

40.00 set g. sec. part from which  
a Hornbeam 6 in. dia. bears N85E 12 lbs. dist. 8  
an Ash 10 " " " N65W 7 " "

53.33 a Beech 12 " "

80.00 set part cor. of sec. 22, 23, 26 & 27 from which  
a Hickory 14 in. dia. bears N69W 24 lbs. dist. 8  
a Beech 20 " " " S51E 27 " "  
Land 2 rate, timber as before noted.

## T. B. N. R. O. E. I. Mer. Ind. a

East on Random between Sec. 22 &amp; 26

40.00 set temp. g. sec. port

80.11 Intersect N. &amp; S. line 14 hrs. N. of port -

Land 2<sup>nd</sup> rate, timber as before noted; Ulp. Spice  
& Prickly Ash

West Connected between Sec. 23 &amp; 26

40.05 set g. sec. port at aver. dist. from which

a Hornbeam 8 in. diam bears N 53 E 12 hrs. dist. 3

a Do 4 " " " S 83 W 10 " "

80.11 to sec. cor.

North between Sec. 22 &amp; 23

20.90 an Ash 14 in. dia.

40.00 set g. sec. port from which

a Beech 10 in. diam bears N 71 W 6 hrs. dist. 3

a Do 6 " " " S 89 E 27 " "

66.50 altickong 24 " "

80.00 set port cor. of sec. 14, 15, 22 &amp; 23 from which

a Beech 10 in. diam bears S 49 W 13 hrs. dist. 3

a Cherry 6 " " " S 74 E 23 " "

Land 2<sup>nd</sup> rate, timber as before noted

East on Random between Sec. 14 &amp; 23

40.00 set temp. g. sec. port

80.15 Intersect N. &amp; S. line 25 hrs. N. of port -

Land 2<sup>nd</sup> rate, timber Beech, Ash, Elm, & Spice

West Connected between Sec. 14 &amp; 23

40.07 set g. sec. port at aver. dist. from which

an Ash 3 in. diam bears S 27 W 12 hrs. dist. 3

an Ironwood 4 " " " N 2 E 24 " "

80.15 to sec. cor.

North between Sec. 14 & 15

24.94 a Beech 12 in. dia.

40.00 set of sec. port from which

a Walnut 48 in. dia. bears S50E 7 1/2 hrs. dist. 8

an Elm 10 " " " S68W 12 " "

49.00 an Ash 24 " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which

a Sugar 10 in. dia. bears S56W 21 1/2 hrs. dist. 8

a Do 14 " " " N69E 16 " "

Land 2<sup>d</sup> rate, timber as usual; Upr. Spice

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. port

80.16 Intersect N. & E. line 22 1/2 hrs. N. of port -

Land 2<sup>d</sup> rate, timber as usual; Upr. Spice

West Connected between Sec. 11 & 14

40.08 set g. sec. port at aver. dist. from which

a W. Oak 24 in. dia. bears N8E 20 1/2 hrs. dist. 8

a Hornbeam 6 " " " S15W 28 " "

80.16 to sec. cor.

North between Sec. 10 & 11

3.50 a Stream 25 ft. wide course N9W

31.33 a Beech 12 in. dia.

40.00 set g. sec. port from which

a Hackberry 8 in. dia. bears S59E 29 1/2 hrs. dist. 8

an Elm 12 " " " S57W 16 " "

68.78 a Buckeye 4 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a Beech 6 in. dia. bears N22E 7 1/2 hrs. dist. 8

a Do 11 " " " S45W 10 " "

Land 2<sup>d</sup> rate, timber as before noted

T. 13 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

East on Random between Sec. 2 &amp; 11

40.00 let temp. g. sec. point

60.00 a Stream 25 lbs. wide course S W

80.95 Intersect N. G. line 21 lbs. N. of point -

Land 2<sup>d</sup> rate, timber Beech, Ash, Sugar & Spruce

West Connected between Sec. 2 &amp; 11

40.47 let g. sec. point at aver. dist. from which

a Buckeye 14 in. dia. bears N. W 12 lbs. dist. 8,

a Beech 26 " " " S 21 E 17 " "

80.95 to sec. cor.

North between Sec. 2 &amp; 3

17.55 a Beech 10 in. dia.

40.00 let g. sec. point from which

a Sugar 20 in. dia. bears — 34 E 8 lbs. dist. 8,

a Beech 12 " " " East 15 " "

44.08 a Poplar 75 " "

65.85 Intersect N. Boundary 165 lbs. W. of point -

let point at intersection cor. of Sec. 2 &amp; 3 from which

a Beech 16 in. dia. bears N 25 W 11 lbs. dist. 8,

a Elm 12 " " " S 35 W 17 " "

Land 2<sup>d</sup> rate - November 4, 1819

North between Sec. 33 &amp; 34

24.25 a Stream 25 lbs. wide course S W

35.10 an Ash 20 in. dia.

40.00 let g. sec. point from which

an Ash 10 in. dia. bears N 45 E 25 lbs. dist. 8,

an Elm 15 " " " S 20 W 20 " "

43.25 a Stream 25 lbs. wide course S W

56.00 a Do course S W

60.00 same Stream " S W

70.30 an Ash 10 in. dia.



80.00 at port cor. of sec. 27, 28, 33 & 34 from which  
a Beech 14 in. dia bears N 19 E 9 lbs. dist. 3  
a Spr 12 " " " S 33 W 40 " "  
Land 2<sup>d</sup> rate

East on Random between Sec. 27 & 34

40.00 at temp. g. sec. port

80.34 Intersect N. S. line at port -

Land 2<sup>d</sup> rate, timber Beech, Ash, Elm, Poplar,  
H. Wgs. Spruce

West Connected between Sec. 27 & 34

40.17 at g. sec. port at aver. dist. from which  
an Elm 4 in. dia bears N 14 E 25 lbs. dist. 3  
an Ash 4 " " " S 19 W 21 " "

80.34 to sec. cor.

North between Sec. 27 & 28

28.90 a Beech 24 in. dia.

40.00 at g. sec. port from which

a Walnut 36 in. dia bears N 50 W 17 lbs. dist. 3

a Buckeye 14 " " " S 47 E 29 " "

49.50 a Walnut 48 " "

80.00 at port cor. of sec. 21, 22, 27 & 28 from which

a Maple 3 in. dia bears N 60 E 27 lbs. dist. 3

a Hickory 2 " " " S 80 W 24 " "

Land 1<sup>st</sup> rate

East on Random between Sec. 22 & 27

40.00 at temp. g. sec. port

80.28 Intersect N. S. line 5 lbs. S. of port -

Land 1<sup>st</sup> rate, timber as before noted; Spruce

West Connected between Sec. 22 & 27

T. B. N., R. C. E. L. Mer. Ind.<sup>a</sup>

40.14 set g. sec. post at aver. dist. from which  
 a Beech 7 in. diameter N 32° W 19 lbs. dist. 8  
 an Ash 17 " " " S 50° E 39 " "  
 80.28 to sec. cor.

## North between Sec. 21 &amp; 22

3.75 a Stream 25 lbs. wide course S W  
 18.23 a Locust 20 in. dia.  
 40.00 set g. sec. post from which  
 an Ash 20 in. diameter S 82° E 31 lbs. dist. 4  
 a W. Oak 20 " " " S 65° W 33 " "  
 60.43 an Elm 16 " "  
 80.00 set post on corner 15, 16, 21 & 22 from which  
 a Hickory 3 in. diameter N 74° W 21 lbs. dist. 4  
 an Ash 24 " " " S 17° W 41 " "  
 Land Private

## East on Random between Sec. 15 &amp; 22

40.00 set temp. g. sec. post  
 59.00 a Stream 25 lbs. wide course S W  
 80.30 Intersect N. S. line 10 lbs. N. of post -  
 Land Private, timber as usual

## West Corner between Sec. 15 &amp; 22

40.15 set g. sec. post at aver. dist. from which  
 a Beech 2 in. diameter N 3° E 10 lbs. dist. 8  
 an Ash 4 " " " S 35° W 15 " "  
 80.30 to sec. cor.

## North between Sec. 15 &amp; 16

14.15 an Ash 14 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 12 in. diameter N 52° E 13 lbs. dist. 8  
 an Ash 10 " " " S 65° W 14 " "

45.82 a Beech 18 in. dia.

80.00 Set post cor. of sec. 9, 10, 15 & 16 from which  
a Beech 20 in. dia. bears N 30° W 22 lbs. dist. 8  
a Logwood 4 " " " S 13° W 16 " "  
Land 1<sup>st</sup> rate, timber as before noted

East on Random between Sec. 10 & 15

40.00 Set temp. g. sec. post

70.00 a Stream 25 lbs. wide course S 9° W

80.32 Intersect N & S line at post -

Land 2<sup>nd</sup> rate, timber as before noted; Spice

West Corrected between Sec. 10 & 15

40.16 Set g. sec. post at aver. dist. from which  
a Hornbeam 6 in. dia. bears N 40° W 11 lbs. dist. 8  
an Ash 10 " " " S 20° W 7 " "

80.32 to sec. cor.

North between Sec. 9 & 10

28.04 a Beech 20 in. dia.

40.00 Set g. sec. post from which  
an Ash 12 in. dia. bears N 33° W 29 lbs. dist. 8  
a Beech 10 " " " S 43° E 22 " "

63.50 a Do 13 " "

80.00 Set post cor. of sec. 3, 4, 9 & 10 from which  
a Beech 14 in. dia. bears S 70° W 8 lbs. dist. 8  
a Do 12 " " " N 70° E 14 " "  
Land 2<sup>nd</sup> rate - November 5, 1819

East on Random between Sec. 3 & 10

40.00 Set temp. g. sec. post

80.18 Intersect N & S line 10 lbs. N. of post -

Land 2<sup>nd</sup> rate, timber Beech, Ash, Sugar, Oak  
& Wyp. Spice

## T. 13 N., R. 6 E. S. 1 Mer. Ind.

West corner between Sec. 3 &amp; 10

40.09 set g. sec. post at aver. dist. from which  
 a Beech 14 in. dia bears N 87° W 2 1/2 lbs. dist. 8  
 an Ash 18 " " " S 87° E 13 " "  
 80.18 to sec. cor.

North between Sec. 3 &amp; 4

28.66 an Ash 12 in. dia.

40.00 set g. sec. post from which  
 a Beech 24 in. dia bears N 87° E 26 lbs. dist. 8  
 a Do 12 " " " S 63° W 19 " "

63.66 Intersect N. Boundary 154 lbs. W. of post —  
 set post at intersection cor. of sec. 3 & 4 from which  
 a Beech 10 in. dia bears N 48° E 12 lbs. dist. 8  
 a Do 14 " " " West 28 " "  
 Land State —

North between Sec. 32 &amp; 33

31.96 an Elm 12 in. dia.

40.00 set g. sec. post from which  
 a Beech 7 in. dia bears N 86° W 2 lbs. dist. 8  
 a Do 14 " " " S 16° E 10 " "

54.74 a Hickory 12 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 a Beech 20 in. dia bears N 84° E 19 lbs. dist. 8  
 a Do 15 " " " S 72° W 27 " "  
 Land State —

East on Raudorn between Sec. 28 &amp; 33

40.00 set temp. g. sec. post

70.75 a Stream 25 lbs. wide course S W

80.13 Intersect N. Line at post —

Land State, timber as before noted

T. 13 N., R. 6 E., T. 1 Mer. Ind. <sup>a</sup> 239

West Connected between Sec. 28 & 33

40.06 set g. sec. post at aver. dist. from which  
a Hickory 12 in. diam bears N 19° W 6 lbs. dist. 3  
a Beech 3 " " " S 2° W 17 " "  
80.13 to sec. cor.

North between Sec. 28 & 29

5.76 an Ash 18 in. diam.  
40.00 set g. sec. post from which  
a Beech 10 in. diam bears N 62° W 25 lbs. dist. 3  
a Do 8 " " " S 49° E 28 " "  
67.72 a Do 10 " "  
80.00 set post cor. of sec. 28, 21, 28 & 29 from which  
a Beech 10 in. diam bears N 23° W 14 lbs. dist. 3  
an Ash 14 " " " S 10° E 10 " "  
Land 2<sup>d</sup> rate -

East on Random between Sec. 21 & 28

40.00 set temp. g. sec. post  
78.00 a Stream 25 lbs. wide course SE  
80.50 Interset N & S line 20 lbs. S. of post -  
Land 2<sup>d</sup> rate, timber as before noted

West Connected between Sec. 21 & 28

40.25 set g. sec. post at aver. dist. from which  
a Beech 18 in. diam bears S 60° W 14 lbs. dist. 3  
a Sugar 30 " " " N 89° E 27 " "  
80.50 to sec. cor. November 6. 1819

North between Sec. 20 & 21

34.60 an Elm 10 in. diam.  
40.00 set g. sec. post from which  
a Hickory 12 in. diam bears N 82° W 10 lbs. dist. 3  
an Ash 24 " " " S 89° E 9 " "



T. 13 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

49.73 an Ash 12 in. dia.

80.00 set post cor. of sec. 16, 17, 21 & 22 from which  
a Hornbeam 12 in. dia bears N 67° E 15 lbs. dist. 2,  
an Elm 4 " " " S 70° W 6 " "  
Land 2<sup>d</sup> rate -

East in Random between Sec. 16 & 21

40.00 set temp. g. sec. post

80.90 Intersect N & S. line 10 lbs. S. of post -

Land 2<sup>d</sup> rate timber Beech, Ash, Sugar, Elm, Oak &c.

West corrected between Sec. 16 & 21

40.45 set g. sec. post at over. dist. from which  
a Beech 12 in. dia bears N 26° W 3 lbs. dist. 2,  
a Hornbeam 4 " " " S 42° W 4 " "

80.90 to sec. cor.

North between Sec. 16 & 17

15.50 a Beech 12 in. dia.

40.00 set g. sec. post from which  
a Beech 14 in. dia bears N 72° E 9 lbs. dist. 2,  
a Hickory 6 " " " S 53° W 16 " "

62.27 a B. Oak 10 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
an Ash 14 in. dia bears N 56° E 37 lbs. dist. 2,  
a W. Oak 10 " " " S 64° W 7 " "  
Land 2<sup>d</sup> rate, timber as before noted

East in Random between Sec. 9 & 16

40.00 set temp. g. sec. post

81.30 Intersect N & S. line at post -

Land 1<sup>st</sup> rate, timber Ash, Sugar, Poplar, Beech,  
Sugar &c. Upr. Spruce

## West corner between Sec. 8 &amp; 16

40.65 set g. sec. post at aver. dist. from which  
 a Beech 10 in. dia. bears N 65 E 24 lbs. dist. 8  
 an Ash 10 " " " S 69 W 26 " "  
 81.30 to sec. cor.

## North between Sec. 8 &amp; 9

22.47 an Ash 20 in. dia.  
 40.00 set g. sec. post from which  
 a Beech 20 in. dia. bears West 20 lbs. dist. 8  
 a Do 18 " " " S 60 E 25 " "  
 57.00 a Stream 25 lbs. wide course SW  
 64.25 a W. Oak 20 in. dia.  
 80.00 set post cor. of sec. 4, 5, 8 & 9 from which  
 a Beech 24 in. dia. bears N 49 E 50 lbs. dist. 8  
 a Do 14 " " " S 10 W 10 " "  
 (Description of land &c. omitted.)

## East on Random between Sec. 4 &amp; 9

15.00 a Stream 25 lbs. wide course SW  
 40.00 set temp. g. sec. post  
 81.40 Intersect N & S. line at post - Land 2. rate -

## West corner between Sec. 4 &amp; 9

40.70 set g. sec. post at aver. dist. from which  
 a Beech 12 in. dia. bears N 71 W 20 lbs. dist. 8  
 a Poplar 3 " " " South 16 " "  
 81.40 to sec. cor.

## North between Sec. 4 &amp; 5

15.00 an Ash 36 in. dia.  
 40.00 set g. sec. post from which  
 a W. Oak 72 in. dia. bears N 40 W 25 lbs. dist. 8  
 a Beech 12 " " " S 48 E 18 " "

T. 13 N., R. 6 E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

63.33 Intersect N. Boundary 355 lbs. N. of port -  
 Set post at intersection cor. of sec. 4 & 5 from which  
 a Beech 10 in. diam bears S 24° W 22 lbs. dist. 8  
 a Sugar 12 " " " N 16° E 16 " "  
 Land 2<sup>d</sup> rate

North between Sec. 31 & 32

7.85 a W. Oak 85 in. dia.

40.00 Set g. sec. post from which  
 an Elm 3 in. diam bears East 22 lbs. dist. 8  
 a Beech 10 " " " S 43° W 25 " "

71.89 a Poplar 16 " "

80.00 Set post cor. of sec. 29, 30, 31 & 32 from which  
 a Beech 10 in. diam bears N 52° E 46 lbs. dist. 8  
 a As 20 " " " S 32° W 25 " "  
 Land 2<sup>d</sup> rate. November 7, 1819

East on Random between Sec. 29 & 32

40.00 Set temp. g. sec. post

80.80 Intersect N. & S. line 5 lbs. S. of post -  
 Land 2<sup>d</sup> rate, timber Beech, Ash, Poplar, Sugar,  
 Elm, Maple &c

West Corrected between Sec. 29 & 32

40.40 Set g. sec. post at aver. dist. from which  
 a Hickory 12 in. diam bears N 82° E 7 lbs. dist. 18  
 a Poplar 30 " " " S 14° W 10 " "

80.80 to sec. cor.

West between Sec. 30 & 31

40.00 Set g. sec. post from which  
 a Beech 4 in. diam bears N 22° W 23 lbs. dist. 8  
 an Ash 10 " " " S 25° E 15 " "

80.15 Intersect W. Boundary 180 lbs. N. of post -

set post at intersection cor. of sec. 30 & 31 from which  
an Ash 10 in. diameter S 83 E 12 lbs. dist. 8  
a Beech 14 " " " N 86 W 24 " "  
Land 2<sup>d</sup> rate

North between Sec. 29 & 30

31.95 a Beech 12 in. diam.

40.00 set g. sec. post from which

a Beech 12 in. diameter N 1 W 16 lbs. dist. 8

an Ash 12 " " " S 27 E 3 " "

49.80 a W. Oak 36 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Sugar 30 in. diameter N 16 W 35 lbs. dist. 8

a Beech 8 " " " S 2 E 41 " "

Land 2<sup>d</sup> rate

East on Random between Sec. 20 & 29

40.00 set temp. g. sec. post

80.50 Intersect N & S line at post

Land 2<sup>d</sup> rate, timber as before noted

West corrected between Sec. 20 & 29

40.25 set g. sec. post at av. dist. from which

an Ash 10 in. diameter N 17 W 3 lbs. dist. 8

a Beech 2 " " " S 51 E 3 " "

80.50 to sec. cor.

West between Sec. 19 & 30

40.00 set g. sec. post from which

a Beech 10 in. diameter N 76 E 19 lbs. dist. 8

a Do 10 " " " S 81 E 24 " "

78.80 Intersect M Boundary 36 lbs. N. of post

set post at intersection cor. of sec. 19 & 30 from which

a Beech 10 in. diameter N 82 E 17 lbs. dist. 8

## T. B. N., R. C. E. I. Mer. Ind.

a Beech 8 in. diameter S 11° W 2 lbs. dirt.  
 Sand & rats, trunks as usual

North between Sec. 19 & 20

13.98 a Hickory 12 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. diameter N 67° W 10 lbs. dirt & 8

a Do 20 " " " S 69° E 9 " "

62.72 an Ash 14 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

a W. Oak 20 in. diameter N 75° E 20 lbs. dirt & 8

a Beech 12 " " " S 80° W 21 " "

Sand & rats

East on Rauden between Sec. 17 & 20

40.00 set temp. g. sec. post

80.40 Intersect N. & S. line 4 lbs. N. of post -

Sand & rats, trunks as before noted, Ulyss. Spice

West Connected between Sec. 17 & 20

40.20 set g. sec. post at aver. dirt. from which

a Beech 12 in. diameter S 16° W 5 lbs. dirt & 8

a Do 14 " " " N 50° W 22 " "

80.40 to sec. cor.

West between Sec. 18 & 19

40.00 set g. sec. post from which

a Sugar 10 in. diameter N 85° W 19 lbs. dirt & 8

a Do 12 " " " N 85° E 19 " "

77.75 Intersect W. Boundary 55 lbs. N. of post -

set post at intersection cor. of sec. 18 & 19 from which

a Beech 10 in. diameter N 68° E 36 lbs. dirt & 8

a Do 12 " " " N 80° W 25 " "

Sand & rats, trunks as before noted



## T. 13 N., R. 6 E. 2. Mer. Ind. a

North between Sec. 17 &amp; 18

9.00 a W. Oak 24 in. dia.

40.00 set g. sec. post from which

a Boxelder 10 in. dia. bears N 47 E 35 lbs. dist. 8

a Sycamore 60 " " " S 35 W 16 " "

40.75 a Stream 25 lbs. wide course S W

70.10 a W. Oak 72 in. dia.

80.00 set post cr. of sec. 7, 8, 17 &amp; 18 from which

a Beech 12 in. dia. bears S 85 E 22 lbs. dist. 8

a Do 4 " " " N 85 W 5 " "

Land 2<sup>d</sup> rate. November 8. 1819

East on Random between Sec. 8 &amp; 17

40.00 set temp. g. sec. post

55.00 a Stream 25 lbs. wide course S W

80.50 Intersect Mt. S. line 4 lbs. N. of post -

Land 2<sup>d</sup> rate, timber as before noted

West Corrected between Sec. 8 &amp; 17

40.25 set g. sec. post at aver. dist. from which

a Hickory 8 in. dia. bears N 78 W 32 lbs. dist. 8

a Beech 8 " " " S 40 E 15 " "

80.50 to sec. cr.

West between Sec. 6 &amp; 7

40.00 set g. sec. post from which

a Hickory 12 in. dia. bears N 21 W 20 lbs. dist. 8

a Beech 14 " " " S 65 E 18 " "

76.10 Intersect W. Boundary 110 lbs. N. of post -

set post at intersection cr. of sec. 6 &amp; 7 from which

a Beech 30 in. dia. bears N 60 W 31 lbs. dist. 8

a Do 10 " " " S 54 E 25 " "

Land 2<sup>d</sup> rate

## T 13 N., R. 6 E. 2. Mer. Ind. a

North between Sec. 7 &amp; 8

26.96 a Beech 12 in. dia.

40.00 set g. sec. part from which

a Beech 12 in. dia. leans N 74 E 21 Mo. dist. 3

a Sugar 18 " " " S 85 W 22 " "

49.50 a W. Oak 72 " "

80.00 set part cor. of sec. 5, 6, 7 &amp; 8 from which

a Beech 18 in. dia. leans N 75 E 37 Mo. dist. 3

a Do 14 " " " S 45 E 13 " "

Land 2<sup>d</sup> rate

East in Random between Sec. 5 &amp; 8

40.00 set temp. g. sec. part

80.75 Intersect N. S. line 4 Mo. N. of part -

Land 2<sup>d</sup> rate, timber Beech, Ash, Sugar

West Chained between Sec. 5 &amp; 8

40.37 set g. sec. part at aver. dist. from which

an Ash 20 in. dia. leans N 50 E 42 Mo. dist. 8

a Beech 14 " " " S 36 E 22 " "

80.75 to sec. cor.

West between Sec. 7 &amp; 18

40.00 set g. sec. part from which

a W. Oak 14 in. dia. leans N 68 W 19 Mo. dist. 8

a Do 18 " " " S 80 E 25 " "

77.45 Intersect W. Boundary 95 Mo. N. of part -

set part at intersection cor. of sec. 7 &amp; 18 from which

an Ash 12 in. dia. leans N 32 W 2 Mo. dist. 8

a Beech 12 " " " S 24 E 33 " "

Land 2<sup>d</sup> rate, timber Beech, Ash, Sugar &c.

North between Sec. 5 &amp; 6

35.75 a Beech 8 in. dia.

T. 13 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 set of sec. port from which

a Beech 7 in. diameter N 83° W 7 1/2 m. dist. 8

a Do 8 " " " N 78° E 18 " "

63.50 Entered N. Boundary 3 1/2 m. W. of port -

set port at intersection cor. of sec. 5 &amp; 6 from which

a Beech 18 in. diameter N 62° E 55 m. dist. 8

a Do 24 " " " S 30° W 35 " "

Land State

Surveyed in 1819 by

W. B. Laughlin

Dep. Surveyor.

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 13 N.,  
in Range N. 6 East of the 2<sup>d</sup> Principal Mer-  
idian, in the State of Indiana, has been compar-  
ed with the original on file in this office, and  
found to be correct.

Surveyor General's Office

Cincinnati, April 27, 1842

E. S. Leakes

Sur. Gen.